DATA SHEET

Legamaster

- Advanced infra-red touch technology
- 32 point touch
- Anti-Glare Glass
- Fanless design
- Integrated speakers
- Automatic brightness adjustment
- Low energy consumption
- Slim design

e-Screen ETX touch monitor

ETX-6510UHD black

- The ETX range displays offers razor sharp, high quality images in Ultra-HD
- The build-in Automatic Brightness Sensor guarantees an optimal picture under all light circumstances and significantly reduces energy consumption
- The anti-glare coated glass guarantees perfect readability and a comfortable touch experience
- The High Precision Advanced Infra-red touch screen technology can detect objects as small as 3mm. This allows for very precise drawing and annotating
- Multi-touch with up to 32 simultaneous touches for multi user requirements (Windows 7, 8, 8.1 and 10)
- Easy to set up, plug and play functionality for Windows
- The all metal housing with brushed aluminium front and rounded corners make the ETX screen the perfect solution for demanding environments such as schools
- Now with a special slot that can hold either a very powerful Android controller or an expansion slot that adds an extra HDMI 2.0 and USB port
- Easily operate and control the screen through the Touch On-Screen Display function. The most essential features can also be controlled with the control buttons on the left side of the screen
- The slot-in option allows for easy upgrading the Android controller over time

- Universal mirroring receiver AirServer Connect Ref.:7-863110
- Soundbar LS2000 Ref.:7-198121
- Subwoofer LS3000 Ref.:7-198122

Ref.: **7-803110-65**
EAN: **8713797088640**

Specifications and design are subject to change without prior notice.

rev.:20200915-0000

Legamaster International B.V. Kwinkweerd 62 Postbus 111 NL-7240 AC Lochem The Netherlands
T (+31) (0)573 - 71 30 00 www.legamaster.com

Legamaster,
brand of the edding group

DATA SHEET



1	USB 2.0
2	HDMI out
3	HDMI 1
4	HDMI 2
5	HDMI 3 (ARC)
6	DisplayPort
7	VGA (PC)
8	PC audio in
9	LAN
10	Touch USB 2
11	Touch USB 1
12	SPDIF
13	Audio out
14	RS232

Specifications	
Article dimensions	1527 x 903 x 110 (mm)
Bezel size	38 mm
Viewing angle max	H: 178 ° / V: 178 °
Size diagonal	65 inch
Brightness	350 cd/m²
Response time	9 ms
Supported colours	1073,3M
Video resolution / refresh rate	3840 x 2160 / 60 (px / Hz)
Input resolution / refresh rate	3840 x 2160 / 60 (px / Hz)
Ops slot	yes
Fanless design	yes
Display control	Touch OSD, Keypad, RS-232C, IR remote controller
Automatic brightness adjustment	yes
Speaker	2x18W + 1x15W
Power / Sleep / Standby	170 / - / 0.5 (Watt)
Durability / Lifespan	16/7 / 30.000 (hours)
Input connectors	DisplayPort, HDMI (3x), VGA, PC audio-in
Output connectors	HDMI 2.0, Audio-out, SPDIF audio-out
Touch technology	High Precision Advanced Infra-red touch technology
Touch operation	Finger, Glove, Stylus
Number of touch points	32
Driver	Win: plug and play (optional driver) / Mac: driver
Supported OS	Android, Linux, Mac OSX, Windows 10, Windows 7, Windows 8.1
Package contents	e-Screen, Remote control unit, Quick setup guide, Power cable, HDMI cable, USB cable, VGA cable, Ergonomic stylus, CD
Product warranty	5 years

Logistics	
Quantity	1
Packing dimensions	230 x 1620 x 1035 (mm)
Weight (gross/net)	65.00 kg / 55.00 kg

Specifications and design are subject to change without prior notice.

rev.:20200915-0000

Legamaster International B.V. Kwinkweerd 62 Postbus 111 NL-7240 AC Lochem The Netherlands
T (+31) (0)573 - 71 30 00 www.legamaster.com

Legamaster,
brand of the edding group